

SAFETY DATA SHEET 5L CLEANLINE BACTERICIDAL DETERGENT

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	5L CLEANLINE BACTERICIDAL DETERGENT	
Product number	800-196-4002	
Container size	4 x 5 litres	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Disinfectant. Detergent.	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	PRIME SOURCE P O BOX 15247 BIRMINGHAM B22 3HN tel: 08085 749312 info@prime-source.co.uk	
Contact person	For content of safety data sheet:, info@prime-source.co.uk or TEL: – 08085 749312	
1.4. Emergency telephone number		
Emergency telephone	Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identification		
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008) Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Danger	
Hazard statements	H315 Causes skin irritation.	

H318 Causes serious eye damage.

Precautionary statements	 P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/ attention. P280 Wear protective gloves.
Contains	QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES, ALCOHOLS, C12-14, ETHOXYLATED, COCONUT DIETHANOLAMIDE
Detergent labelling	< 5% disinfectants, < 5% non-ionic surfactants, < 5% perfumes, Contains d-LIMONENE
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

16-ALKYLDIMETHYL, CHLORIDES			
CAS number: 68424-85-1	EC number: 270-325-2		
M factor (Acute) = 1			
Classification	Classification	(67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	C;R34 Xn;R21	/22 N;R50	
Acute Tox. 4 - H312			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
ALCOHOLS, C12-14, ETHOXYLATED			1-5%
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1			
Classification			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 3 - H412			
COCONUT DIETHANOLAMIDE			1-5%
CAS number: 68603-42-9	EC number: 931-329-6		
Classification	Classification	(67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R38,R41.	````	
Eye Dam. 1 - H318			
Aquatic Chronic 2 - H411			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

	~
4.1. Description of first aid me	asures
General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Provide eyewash station.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising from	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
6.3 Methods and material for	containment and cleaning up

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.		
6.4. Reference to other section	ins		
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.		
SECTION 7: Handling and sto	orage		
7.1. Precautions for safe hand	lling		
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.		
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.		
7.2. Conditions for safe storage	ge, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure contro	Is/Personal protection		
8.1. Control parameters			
Ingredient comments	No exposure limits known for ingredient(s).		
	ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)		
DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m ³ Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m ³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day		
PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)		
	<u></u>		
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day		

PNEC	- Fresh water; 0.007 mg/l - marine water; 0.001 mg/l - STP; 830 mg/l - Sediment (Freshwater); 0.195 mg/kg - Sediment (Marinewater); 0.019 mg/kg - Soil; 0.035
	DIETHANOLAMINE (CAS: 111-42-2)
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm ² General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	- Fresh water; 0.02 mg/l - marine water; 0.002 mg/l - STP; 100 mg/l - Sediment (Freshwater); 0.092 mg/kg - Sediment (Marinewater); 0.009 mg/kg - Soil; 0.007 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.
SECTION 9: Physical and c	hemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.	
Colour	Blue.	
Odour	Mild.	
рН	pH (concentrated solution): 7.5 typically	
Relative density	1.010 typically @ 20°C	
Solubility(ies)	Soluble in water.	
Explosive under the influence of a flame	Not considered to be explosive.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	ictivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	on products	
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological information		
11.1. Information on toxicologi	cal effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
ATE oral (mg/kg)	9,937.5	
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.	
ATE dermal (mg/kg)	39,000.0	
Acute toxicity - inhalation Notes (inhalation LC50)	Based on available data the classification criteria are not met.	

Skin corrosion/irrita Skin corrosion/irrita		Causes skin irritation. Calculation method.		
Serious eye damag Serious eye damag		Causes serious eye damage. Calculation method.		
Respiratory sensitis		Based on available data the classification criteria are not met.		
Skin sensitisation Skin sensitisation	Based	on available data the classification criteria are not met.		
Germ cell mutagen Genotoxicity - in vit		on available data the classification criteria are not met.		
Carcinogenicity Carcinogenicity	Based	on available data the classification criteria are not met.		
Reproductive toxici Reproductive toxici		not contain any substances known to be toxic to reproduction.		
Specific target orga	in toxicity - single e	xposure		
STOT - single expo	sure Not cla	assified as a specific target organ toxicant after a single exposure.		
Specific target orga	in toxicity - repeate	d exposure		
STOT - repeated e	xposure Not cla	assified as a specific target organ toxicant after repeated exposure.		
General information	This product has low toxicity.			
Ingestion	-	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.		
Skin contact	may c	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.		
Eye contact		Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.		
Toxicological information on ingredients.				
	QUATERNARY	— AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES		
Acute toxicity - oral				
	toxicity oral (LD50	397.5		
Speci	es	Rat		
ATE o	oral (mg/kg)	397.5		
	toxicity - dermal			
	lermal (mg/kg)	1,560.0		
		ALCOHOLS, C12-14, ETHOXYLATED		
Acute	toxicity - oral toxicity oral (LD ₅₀	2,000.1		
mg/kg	1)			
		7/12		

	Species	Rat	
	Notes (oral LD ₅₀)	Based on available data the classification criteria are not met. REACH dossier information.	
	ATE oral (mg/kg)	2,000.1	
	Acute toxicity - dermal		
	Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1	
	Species	Rat	
	Notes (dermal LD₅₀)	Based on available data the classification criteria are not met. REACH dossier information.	
	ATE dermal (mg/kg)	2,000.1	
	Acute toxicity - inhalation		
	Notes (inhalation LC_{50})	Based on available data the classification criteria are not met. REACH dossier information.	
	Skin corrosion/irritation		
	Skin corrosion/irritation	Based on available data the classification criteria are not met. REACH dossier information.	
	Serious eye damage/irritation	on	
	Serious eye damage/irritation	Causes serious eye damage.	
	Respiratory sensitisation		
	Respiratory sensitisation	No information available.	
	Skin sensitisation		
	Skin sensitisation	Based on available data the classification criteria are not met. REACH dossier information.	
	Germ cell mutagenicity		
	Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.	
	Reproductive toxicity		
	Reproductive toxicity - fertility	Based on available data the classification criteria are not met. REACH dossier information.	
	Specific target organ toxicity - single exposure		
	STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
	Specific target organ toxicity - repeated exposure		
	STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.		
SECTION 12: Ecological information			
Ecotoxicity	There are	e no data on the ecotoxicity of this product.	
12.1. Toxici	<u>by</u>		
Toxicity	Not cons	idered toxic to fish.	
Ecological in	Ecological information on ingredients.		

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

	Acute aquatic tox	icity	
	LE(C)50		$0.1 < L(E)C50 \le 1$
	M factor (Acute)		1
	Acute toxicity - fis	h	LC₅₀, 96 hours: 0.85 – 1.2 mg/l, Fish
	Acute toxicity - ac invertebrates	quatic	EC₅₀, 48 hours: 0.02 mg/l, Daphnia magna
	Acute toxicity - ac plants	quatic	LC₅₀, 96 hours: 0.06 mg/l, Algae
			ALCOHOLS, C12-14, ETHOXYLATED
	Acute aquatic tox	icity	
	LE(C)50		$0.1 < L(E)C50 \le 1$
	M factor (Acute)		1
	Acute toxicity - fis	h	LC₅₀, 96 hours: 0.876 mg/l, Fish REACH dossier information.
	Acute toxicity - ac invertebrates	quatic	EC₅₀, 48 hours: 0.39 mg/l, Daphnia magna REACH dossier information.
	Chronic aquatic toxicity		
	Chronic toxicity -	fish early	EC ₂₀ , 30 days: 1.09 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
	Chronic toxicity - invertebrates	aquatic	NOEC, 21 days: 0.77 mg/l, Daphnia magna
12.2. Persistence and degradability			
Persistence	and degradability	product (No. 648/ compete	e no data on the degradability of this product. The surfactant(s) contained in this complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 2004 on detergents. Data to support this assertion are held at the disposal of the nt authorities of the Member States and will be made available to them at their direct or at the request of a detergent manufacturer.
Ecological ir	nformation on ingre	dients.	
	QUATER	NARY AM	IMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES
	Persistence and degradability		The substance is readily biodegradable.

ALCOHOLS, C12-14, ETHOXYLATED

Biodegradation	The substance is readily biodegradable.
	REACH dossier information.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

Mobility

The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

Adsorption/desorption - Log Koc: 3.7-4.5 @ °C REACH dossier information. coefficient

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations 13.1. Waste treatment methods

General information	Do not discharge into drains or watercourses or onto the ground.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15.1. Safety, health and e	nvironmental regulations/legislation specific for the substance or mixture
National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	02/11/2018
Revision	6
Supersedes date	07/09/2018

Risk phrases in full	R21/22 Harmful in contact with skin and if swallowed. R34 Causes burns. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.