

# SAFETY DATA SHEET CLEANLINE MACHINE DISHWASH DETERGENT

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name CLEANLINE MACHINE DISHWASH DETERGENT

**Product number** 800-236-4002

Container size 4 x 5 litres

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Machine dishwashing detergent.

**Uses advised against** DO NOT use for hand dishwashing.

# 1.3. Details of the supplier of the safety data sheet

Supplier PRIME SOURCE

P O BOX 15247 BIRMINGHAM B22 3HN 0121 328 6740

inf@prime-source.co.uk

Contact person SDS information provided by sds@coventrychemicals.com

# 1.4. Emergency telephone number

Emergency telephone 0870 190 6777

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Corr. 1A - H314

Environmental hazards Not Classified

Classification (67/548/EEC or C;R35.

1999/45/EC)

## 2.2. Label elements

## **Pictogram**



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

## CLEANLINE MACHINE DISHWASH DETERGENT

Precautionary statements P260 Do not breathe vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

P337+P313 If eye irritation persists: Get medical advice/attention.

SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE **Contains** 

Supplementary precautionary P280 Wear protective gloves/protective clothing/eye protection/face protection.

statements

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

**SODIUM HYDROXIDE** 10-30%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C:R35

Skin Corr. 1A - H314 Eye Dam. 1 - H318

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-

2119486762-27-XXXX

1-5%

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22 Xi;R41

Eye Dam. 1 - H318

TRISODIUM NITRILOTRIACETATE <1%

CAS number: 5064-31-3 EC number: 225-768-6 REACH registration number: 01-

2119519239-36-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Carc. Cat. 3;R40 Xn;R22 Xi;R36

Eye Irrit. 2 - H319 Carc. 2 - H351

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General information SPEED IS ESSENTIAL. OBTAIN IMMEDIATE MEDICAL ATTENTION. Showers and eye

washing equipment must be provided at handling points.

## CLEANLINE MACHINE DISHWASH DETERGENT

**Inhalation** Remove affected person from source of contamination. Keep affected person warm and at

rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.

**Ingestion** Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.

Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

# 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Chemical burns must be treated by a physician. Get medical attention

immediately.

**Inhalation** Severe irritation of nose and throat. May cause an asthma-like shortness of breath.

Ingestion Will immediately cause corrosion of, and damage to, the gastrointestinal tract.

**Skin contact** May cause serious chemical burns to the skin.

Eye contact May cause severe inflammation, corneal ulcers and permanent impairment of vision.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Remove contaminated clothing and wash all affected areas with plenty of water. Symptomatic

treatment and supportive therapy as indicated.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Contact with some metals eg. aluminium, zinc can produce flammable hydrogen.gas.

Exothermic reaction with water.

## 5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

# 6.3. Methods and material for containment and cleaning up

## CLEANLINE MACHINE DISHWASH DETERGENT

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in

vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty

of water.

#### 6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. See Section 11 for additional information on health

hazards. See Section 1 for emergency contact information.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists. Provide

adequate ventilation. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the

product into water.

Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Store away from the

following materials: Acids.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

# Occupational exposure limits

# SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

## SODIUM HYDROXIDE (CAS: 1310-73-2)

**DNEL** Industry - Inhalation; Long term local effects: 1.0 mg/m³

Consumer - Inhalation; Long term local effects: 1.0 mg/m³

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

**DNEL** General population - Oral; Long term systemic effects: 25 mg/kg/day

General population - Inhalation; Long term local effects: 0.6 mg/m³ General population - Inhalation; Short term local effects: 1.2 mg/m³

Workers - Inhalation; Long term local effects: 1.5 mg/m³ Workers - Inhalation; Short term local effects: 3 mg/m³

## CLEANLINE MACHINE DISHWASH DETERGENT

PNEC - Fresh water; 2.2 mg/l

Marine water; 0.22 mg/lIntermittent release; 1.2 mg/l

STP; 43 mg/lSoil; 0.72 mg/kg

#### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational

exposure limits for the product or ingredients.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station and safety shower. Wash hands at the end of each work shift and

before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated.

Promptly remove any clothing that becomes contaminated.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit. Particulate filter, type

P2. Particulate filters should comply with European Standard EN143.

**Environmental exposure** 

controls

Users should be aware of environmental considerations and their duties under the

environmental protection act. Further information may be found on Government websites:

www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour No characteristic odour.

Odour threshold Not applicable.

pH (concentrated solution): >13.5

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point Not applicable.

**Evaporation rate** Not determined.

**Evaporation factor** Not applicable.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.185 typically @ @ 20°C

# CLEANLINE MACHINE DISHWASH DETERGENT

**Bulk density** Not applicable. Soluble in water. Solubility(ies)

**Auto-ignition temperature** Not applicable. **Decomposition Temperature** 

Viscosity Not determined.

**Explosive properties** Not applicable

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties

Not applicable.

Not applicable.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reactivity Reactions with the following materials may generate heat: Water. Strong acids. Highly

reactive with aluminium, tin, zinc and alloys of these metals producing flammable hydrogen

gas.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

Can react violently if in contact with acids and chloro-hydrocarbons. Exothermic reaction with

water.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Acids. Ammonia solution. Chlorinated hydrocarbons. Aluminium. Zinc.

# 10.6. Hazardous decomposition products

Hazardous decomposition

products

reactions

Hydrogen.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

**Toxicological effects** No information available.

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

ATE oral (mg/kg) 12,218.16704156

General information Danger of very serious irreversible effects in contact with skin, in contact with eyes and if

swallowed.

## CLEANLINE MACHINE DISHWASH DETERGENT

Inhalation Spray/mists may cause respiratory tract irritation. A single exposure may cause the following

adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes

in nose, throat, lungs and bronchial system.

**Ingestion** May cause burns in mucous membranes, throat, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or

cracking.

**Eye contact** Causes burns. A single exposure may cause the following adverse effects: Corneal damage.

Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss

of sight.

# SECTION 12: Ecological Information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

12.1. Toxicity

**Toxicity** Concentrations greater that 10ppm or ph value greater than 10.5 may be fatal to fish and

other aquatic organisms.

**Acute toxicity - aquatic plants** Can cause damage to aquatic plants.

Acute toxicity - terrestrial Can cause damage to vegetation.

## 12.2. Persistence and degradability

Persistence and degradability Degrades readily by reaction with the natural carbon dioxide in the air.

# 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods**Dispose of via an authorised and appropriately licensed waste contractor. Packaging is

recyclable. Wash out containers with water before disposal.

Waste class EWC Code: 06 02 04

# **SECTION 14: Transport information**

# 14.1. UN number

**UN No. (ADR/RID)** 1824

**UN No. (IMDG)** 1824

**UN No. (ICAO)** 1824

# CLEANLINE MACHINE DISHWASH DETERGENT

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

SODIUM HYDROXIDE SOLUTION

Proper shipping name

SODIUM HYDROXIDE SOLUTION

(IMDG)

Proper shipping name (ICAO) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ADN) SODIUM HYDROXIDE SOLUTION

# 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID subsidiary risk

ADR/RID label 8

IMDG class 8

IMDG subsidiary risk

ICAO class/division 8

ICAO subsidiary risk

## Transport labels



# 14.4. Packing group

ADR/RID packing group II

IMDG packing group

ICAO packing group

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

**EmS** F-A, S-B

Emergency Action Code 2R

Hazard Identification Number 80

(ADR/RID)

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## CLEANLINE MACHINE DISHWASH DETERGENT

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

Control of Pollution (Special Waste) Regulations 1980 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits. The Hazardous Waste Regulations 2005.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,

Waste Material Code 91/689/EEC

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Technical Guidance WM2: Hazardous Waste.

COSHH Essentials.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

Workplace Exposure Limits EH40.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment (CSA) has been completed for Sodium hydroxide. Currently we do not have information from our suppliers about this.

## **SECTION 16: Other information**

Abbreviations and acronyms used in the safety data sheet

STOT Specific Target Organ Toxicity
PBT Persistant Bio-accumulative and Toxic

vPvB very Persistent, very Bio-accumulative EWC European Waste Catalogue

PNEC Predicted No Effect Concentration

DNEL Derived No Effect Level

**General information** Only trained personnel should use this material.

Revision date 22/04/2015

Revision 1

Supersedes date 18/07/2011

Risk phrases in full R22 Harmful if swallowed.

R35 Causes severe burns.

R41 Risk of serious damage to eyes.

# **CLEANLINE MACHINE DISHWASH DETERGENT**

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H351 Suspected of causing cancer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.