



## SAFETY DATA SHEET 25L SUPER LAUNDRY LIQUID

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** 25L SUPER LAUNDRY LIQUID  
**Product number** 800-244-0880  
**Container size** 25 litres

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** COVENTRY CHEMICALS LTD  
 WOODHAMS RD  
 SISKIN DRIVE  
 COVENTRY  
 CV3 4FX  
 Tel: +44 (0) 02476639739  
 Fax: +44 (0) 02476639717  
 Email: sales@coventrychemicals.com

**Contact person** For content of safety data sheet: sds@coventrychemicals.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards** Not Classified  
**Health hazards** Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

Classification (67/548/EEC or -  
1999/45/EC)

#### 2.2. Label elements

##### Pictogram



**Signal word** Danger  
**Hazard statements** H318 Causes serious eye damage.

## 25L SUPER LAUNDRY LIQUID

**Precautionary statements** P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

**Contains** ISOTRIDECANOL, ETHOXYLATED, ALCOHOLS C12-14 ETHOXYLATED, ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>ISOTRIDECANOL, ETHOXYLATED</b> <span style="float: right;"><b>5-10%</b></span>		
CAS number: 69011-36-5	EC number: 931-138-8	REACH registration number: 01-2119976362-32-XXXX
<b>Classification</b> Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R41.	
<b>ALCOHOLS, C12-14, ETHOXYLATED</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01-2119487984-16-XXXX
M factor (Acute) = 1		
<b>Classification</b> Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R41. N;R50.	
<b>ALCOHOLS, C12-14, ETHOXYLATED &lt; 2.5 EO, SULFATES, SODIUM SALTS</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R38,R41.	

## 25L SUPER LAUNDRY LIQUID

<b>BRONOPOL (INN)</b>		<b>&lt;1%</b>
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX
M factor (Acute) = 10		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	SPEED IS ESSENTIAL. OBTAIN IMMEDIATE MEDICAL ATTENTION. Showers and eye washing equipment must be provided at handling points.
<b>Inhalation</b>	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
<b>Inhalation</b>	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
<b>Ingestion</b>	Will immediately cause corrosion of, and damage to, the gastrointestinal tract.
<b>Skin contact</b>	May cause serious chemical burns to the skin.
<b>Eye contact</b>	May cause severe inflammation, corneal ulcers and permanent impairment of vision.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Remove contaminated clothing and wash all affected areas with plenty of water. Symptomatic treatment and supportive therapy as indicated.
-----------------------------	---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## 25L SUPER LAUNDRY LIQUID

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Contact with some metals eg. aluminium, zinc can produce flammable hydrogen gas. Exothermic reaction with water.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 1 for emergency contact information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists. Provide adequate ventilation. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids.

**Storage class** Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

## 25L SUPER LAUNDRY LIQUID

### 8.1. Control parameters

#### ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 294 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
<b>PNEC</b>	- Fresh water; 0.0437 mg/l - Intermittent release; 0.004 mg/l - STP; 10 mg/l - Sediment (Freshwater); 31 mg/kg - Sediment (Marinewater); 31 mg/kg - Soil; 1 mg/kg

#### ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS (CAS: 68891-38-3)

<b>DNEL</b>	Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Workers - Inhalation; Long term systemic effects: 175 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 15 mg/kg/day Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 0.24 mg/l - Marine water; 0.024 mg/l - Intermittent release; 0.071 mg/l - Sediment, Fresh water; 5.45 mg/kg - Sediment, Marine water; 0.545 mg/kg - Soil; 0.946 mg/kg - STP; 10,000 mg/l

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

<b>DNEL</b>	General population - Oral; Long term systemic effects: 25 mg/kg/day General population - Inhalation; Long term local effects: 0.6 mg/m <sup>3</sup> General population - Inhalation; Short term local effects: 1.2 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 1.5 mg/m <sup>3</sup> Workers - Inhalation; Short term local effects: 3 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 2.2 mg/l - Marine water; 0.22 mg/l - Intermittent release; 1.2 mg/l - STP; 43 mg/l - Soil; 0.72 mg/kg

#### VIORITE CBS (CAS: 27344-41-8)

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 20.5 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 53 mg/kg/day General population - Inhalation; Long term systemic effects: 3.4 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 19 mg/kg/day General population - Oral; Long term systemic effects: 1.9 mg/kg/day
-------------	---

## 25L SUPER LAUNDRY LIQUID

### BRONOPOL (INN) (CAS: 52-51-7)

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 4.1 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day General population - Inhalation; Long term systemic effects: 1.2 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 0.01 mg/l - Marine water; 0.008 mg/l - Intermittent release; 0.0025 mg/l - STP; 0.43 mg/l - Sediment (Freshwater); 0.041 mg/kg - Sediment (Marinewater); 0.00328 mg/kg - Soil; 0.5 mg/kg

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Provide eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

#### Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.

#### Environmental exposure controls

Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: [www.dti.gov.uk/access/index/htm](http://www.dti.gov.uk/access/index/htm) and [www.envirowise.gov.uk](http://www.envirowise.gov.uk).

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	pH (concentrated solution): 9.5-10.6
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not applicable.

## 25L SUPER LAUNDRY LIQUID

<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.000-1.010
<b>Bulk density</b>	Not applicable.
<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not applicable.
<b>Viscosity</b>	350-500 @ 20°C
<b>Explosive properties</b>	Not applicable
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Not applicable.
<b>Comments</b>	Information given is applicable to the product as supplied.

### 9.2. Other information

<b>Other information</b>	Not relevant.
<b>Refractive index</b>	10-12

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	Reactions with the following materials may generate heat: Water. Strong acids. Highly reactive with aluminium, tin, zinc and alloys of these metals producing flammable hydrogen gas.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Can react violently if in contact with acids and chloro-hydrocarbons. Exothermic reaction with water.
---	---

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	Acids. Ammonia solution. Chlorinated hydrocarbons. Aluminium. Zinc.
---------------------------	---

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Hydrogen.
---	-----------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects</b>	No information available.
<b>Other health effects</b>	There is no evidence that the product can cause cancer.

## 25L SUPER LAUNDRY LIQUID

<b>General information</b>	Danger of very serious irreversible effects in contact with skin, in contact with eyes and if swallowed.
<b>Inhalation</b>	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
<b>Ingestion</b>	May cause burns in mucous membranes, throat, oesophagus and stomach.
<b>Skin contact</b>	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

### SECTION 12: Ecological Information

<b>Ecotoxicity</b>	There are no data on the ecotoxicity of this product.
<b>12.1. Toxicity</b>	
<b>Toxicity</b>	Concentrations greater than 10ppm or pH value greater than 10.5 may be fatal to fish and other aquatic organisms.
<b>Acute toxicity - aquatic plants</b>	Can cause damage to aquatic plants.
<b>Acute toxicity - terrestrial</b>	Can cause damage to vegetation.
<b>12.2. Persistence and degradability</b>	
<b>Persistence and degradability</b>	Degrades readily by reaction with the natural carbon dioxide in the air.
<b>12.3. Bioaccumulative potential</b>	
<b>Bioaccumulative potential</b>	The product is not bioaccumulating.
<b>12.4. Mobility in soil</b>	
<b>Mobility</b>	The product is water-soluble and may spread in water systems.
<b>12.5. Results of PBT and vPvB assessment</b>	
<b>Results of PBT and vPvB assessment</b>	This product does not contain any substances classified as PBT or vPvB.
<b>12.6. Other adverse effects</b>	

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

<b>General information</b>	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.
<b>Disposal methods</b>	Dispose of via an authorised and appropriately licensed waste contractor. Packaging is recyclable. Wash out containers with water before disposal.
<b>Waste class</b>	EWC Code: 06 02 04

### SECTION 14: Transport information

<b>Road transport notes</b>	Not classified.
<b>Rail transport notes</b>	Not classified.



## 25L SUPER LAUNDRY LIQUID

**Sea transport notes** Not classified.

**Air transport notes** Not classified.

**14.1. UN number**

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**14.5. Environmental hazards**

**14.6. Special precautions for user**

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations** The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
Control of Pollution (Special Waste) Regulations 1980 (as amended).  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
EH40/2005 Workplace exposure limits.  
The Hazardous Waste Regulations 2005.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, Waste Material Code 91/689/EEC  
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**Guidance** Technical Guidance WM2: Hazardous Waste.  
COSHH Essentials.  
ECHA Guidance on the Application of the CLP Criteria.  
ECHA Guidance on the compilation of safety data sheets.  
Workplace Exposure Limits EH40.

**15.2. Chemical safety assessment**

Currently we do not have information from our suppliers about this.

### SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet** STOT Specific Target Organ Toxicity  
PBT Persistent Bio-accumulative and Toxic  
vPvB very Persistent, very Bio-accumulative  
EWC European Waste Catalogue  
PNEC Predicted No Effect Concentration  
DNEL Derived No Effect Level

**General information** Only trained personnel should use this material.

**Revision date** 22/06/2015

## 25L SUPER LAUNDRY LIQUID

**Revision**

1

**Hazard statements in full**

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.