

# **SAFETY DATA SHEET**

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade names: AZOWIPE, AZOWIPE STERILE, AZOWIPE EQUIPMENT, AZOWIPETTE

Product codes: 81103, AZ250W, 81148, 81160, 81138, AZ250WCE, 81104, AZ150W, AZ100WNCE

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Substance / Preparation: Hard surface disinfectant wipes.

Disinfectant wipes for use on non-invasive medical devices [CE marked].

### 1.3 Supplier's details

Company name Vernacare HCS Limited

Address 1 Western Avenue

Matrix Park Chorley Lancashire PR7 7NB UK

Number +44 (0) 1772 299900

**Fax** +44 (0) 1772 299901

Email raqa.hcs@vernacare.com

# 1.4 Emergency telephone number

+44 (0) 1772 299900

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# 2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Category 2, H225: Highly flammable liquidand

vapour.

Category 2, H319: Causes serious eye irritation. Category 3, H336: May cause drowsiness or

dizziness.

**2.1.2 Directive 67/548/EEC & Directive** R11: Highly flammable.

**1999/45/EC** R37: Irritant

R67: Vapours may cause drowsiness and

dizziness.

2.2 Label elements

**2.2.1 Label elements** According to Regulation (EC) No. 1272/2008

(CLP)

GHS Product Identifier AzoWipe

SDS-06-0003 Rev15 20-AUG-2018 Page 1 of 7



# Hazard Pictogram(s)

Signal Word(s) Hazard Statement(s)

Precautionary Statement(s)

Danger

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

P210: Keep away from heat/sparks/open

flames/hot surfaces. - No smoking.

P261: Avoid breathing vapours. P264: Wash hands thoroughly after

handling.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338: IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get

medical advice/attention.

P403+P235: Store in a well ventilated

place. Keep cool

P233: Keep container tightly closed.

#### 2.3 Other hazards

Not classified as PBT or vPvB.

# 3. COMPOSITION/INFORMATION ONINGREDIENTS

## 3.1 Mixtures

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	EC Classification (1272/2008)	EC Classification (67/548/EEC)
				Category 2, H225	F; R11
Propan-2-ol	70	67-63-0	200-661-7	Category 2, H319	Xi; R36
-				Category 3, H336	R67

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If medical irritation persists get medical advice/attention.

Page 2 of 7 SDS-06-0003 Rev15 20-AUG-2018



Skin Contact: Wash skin with water.

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Make victim drink

plenty of water. Do not induce vomiting. Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

# 5. FIRE-FIGHTING MEASURES

## 5.1 Extinguishing media

Water spray, dry powder or carbon dioxide.

## 5.2 Special hazards arising from the substance ormixture

Vapour may create explosive atmosphere.

Hazardous decomposition product(s): Carbon monoxide, Carbon dioxide

## 5.3 Advice for fire-fighters

Special protective equipment and precautions for fire fighters:

Use self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

Cool affected area quickly with water.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergencyprocedures

Use personal protective equipment as required. Provide adequate ventilation to avoid build up of vapours. Keep away from heat and sources of ignition. Avoid contact with eyes. Do not breathe mist/vapours/spray.

## 6.2 Environmental precautions

Small spillages: No special measures are required.

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

#### 6.3 Methods and materials for containment and cleaningup

Allow small spillages to evaporate provided there is adequate ventilation.

Contain and adsorb large spillages onto an inert, non flammable adsorbent carrier. Transfer to a container for disposal or recovery.

SDS-06-0003 Rev15 20-AUG-2018 Page 3 of 7



#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

**Advice for safe handling:** Keep container closed when not in use. Avoid contact with skin and eyes. Do not breathe vapour/spray. Ensure adequate ventilation.

Hygiene Measures: Wash hands before breaks and after work. Do not eat, drink or smoke at the work place.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Keep away from heat and sources of ignition. Keep away from oxidising agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

#### 8.1.1 PNECs and DNELs

# Propan-2-ol

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Systemic effects	No data	500 mg/m <sup>3</sup>	88 mg/kg/day
Consumer - Long Term - Systemic effects	26 mg/kg/day	89 mg/m <sup>3</sup>	319 mg/kg/day

	PNEC
Water	140.9 mg/l
Soil	28 mg/kg

#### 8.2 Exposure controls

8.2.1 Appropriate engineering controls None assigned

# 8.2.2 Personal protection equipment

Skin protection (Hand protection/ Other) Gloves. Wash hands before breaks and after

work.



Respiratory protection In case of inadequateventilation wear



respiratory protection.

# 8.2.3 Environmental Exposure Controls

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and

chemical properties

Propan-2-ol

Appearance Colour.

Moist wipe with colourless liquid

SDS-06-0003 Rev15 20-AUG-2018 Page 4 of 7



Odour Alcohol-like.
Odour Threshold (ppm)
No data

pH (Value)

Melting Point (°C)

Boiling point/boiling range (°C):

Ca. -89.5 °C

ca. -82 °C

ca. -82 °C

ca. 12 °C

Flammability (solid, gas) May form explosive mixture with air particularly

in enclosed spaces. ca. 12 % (V) / ca. 2 % (V)

No data

Upper/lower flammability or explosive

limits

Density (g/ml) Solubility (Water)

Evaporation Rate

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Viscosity (mPa. s)
Explosive properties
Oxidising properties

9.2 Other information

No data

 $0.785 - 0.875 \,\mathrm{g/cm}^3$ 

Completely miscible with water. Log Kow 0.05 (OECD)

ca. 425 °C

No data

No data

Not explosive

No data

# 10. STABILITY AND REACTIVITY

**10.1 Reactivity** Stable under normal conditions.

10.2 Chemical stability Stable.

**10.3 Possibility of hazardous reactions** Reacts violently with - Acids. Oxidizing agents.

10.4 Conditions to avoid Heat.

**10.5** Incompatible materials Strong oxidising agents. Acids.

10.6 Hazardous decomposition product(s) Carbon dioxide, Carbon monoxide

#### 11. STABILITY AND REACTIVITY

# 11.1 Information on toxicological effects

# 11.1.2 Mixtures

Acute toxicity

Irritation

Corrosivity

Sensitisation

LD50 5840mg/kg (rat)

Skin. None known.

Eyes. 13900 mg/kg (rabbit)

None known.

Repeated dose toxicity No data

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity No evidence of genotoxicity.

Toxicity for reproduction No evidence of genotoxicity.

SDS-06-0003 Rev15 20-AUG-2018 Page 5 of 7



### 12. ECOLOGICAL INFORMATION

**12.1 Toxicity** Fish. 9640 mg/l

12.2 Persistence and degradability No data

12.3 Bioaccumulative potential None known

**12.4 Mobility in soil** The product is predicted to have high mobility in

soil. (Propan-2-ol)

**12.5** Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known

#### 13. DISPOSALCONSIDERATIONS

**13.1** Waste treatment methods Disposal should be in accordance with local,

state or national legislation.

#### 14. TRANSPORTINFORMATION

#### Transport hazard class(es).

LQ (limited Quantities) refers to small receptacles (typically of the sort that go into the retail distribution chain) which are packed in boxes or on shrink-wrapped trays. The principle behind LQ is that an acceptable level of safety is assured providing the receptacles are in a box or shrink-wrapped tray. Subject to those conditions being met, no other requirements of ADR apply. The containers used for this material do not exceed maximum volume (I litre) for such limited quantities.

14.1	UN Number	3175
14.2	Shipping Name	Solids containing flammable liquid, N.O.S. (Propan-2-ol)

**14.3 Hazard Class for Transportation** Class 4.1


14.4 Packing Group

**14.5** Environmental hazard Refer to section 12

**14.6** Special precautions Retain within shipper. Refer to section 7.2

**14.7 Bulk Transport** In compliance to ADR, Jan 2013 there are requirements to mark certain transport units when carrying more than 8 tonnes

of LQ packages; refer to symbol below.



SDS-06-0003 Rev15 20-AUG-2018 Page 6 of 7



## 15. REGULATORYINFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On 92/85/EEC. 1907/2006/EC

Use

**15.1.2 National regulations** Observe Local Regulations.

15.2 Chemical Safety Assessment No data

# **16. OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

# **Hazard Statement(s)**

R11: Highly flammable.

R37: Irritating to respiratory system.

R67: Vapours may cause drowsiness and dizziness.

S7: Keep container tightly closed.

S16: Keep away from sources of ignition - No smoking.

S51: Use only in well-ventilated areas.

# **Hazard Statement(s) and Precautionary Statement(s)**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

#### **Additional Information**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vernacare HCS Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vernacare HCS Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

SDS-06-0003 Rev15 20-AUG-2018 Page 7 of 7