SAFETY DATA SHEET



Oasis Pro 64 Premium

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name Product code Product use

: Oasis Pro 64 Premium

: 113119E

: Toilet Bowl Cleaner

Product is for professional use only

1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses	
Sanitary cleaner. Manual process		
	Uses advised against	
None known.		

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/	:	Ecolab Ltd.
Importer		David Murray John Building
-		UK-SN1 1NH Swindon, Wiltshire
		England
		Tel +44 (0)1793 511221
		Fax +44 (0)1793 618552
		CCS@ecolab.com

1.4 Emergency telephone number

National advisory body/Poison Centre

 Telephone number
 : 0870 600 6266 (This service is only available to health professionals)

Manufacturer/ Distributor/ Importer Telephone number : 01793

: 01793 511221 Food & Beverage, Institutional, Agri - 01793 548888 Healthcare Leeds - 0113 2322480 Healthcare Swansea - 01252 717616

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr. 1, H314

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

- Classification : C; R35
 - The classification of this product is based only on its extreme pH value (in accordance with current European legislation)

Human health hazards : Causes severe burns.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

Hazard pictograms	
Signal word	: Danger
Contains	: Phosphoric acid Alkylamineoxides
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	
Prevention	: P280 - Wear protective gloves and eye/face protection.
Response	 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.
2.3 Other hazards	

Other hazards which do : Not applicable. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures

			<u>Class</u>	lassification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Phosphoric acid	REACH #: 01-2119485924-24 EC: 231-633-2 CAS: 7664-38-2 Index: 015-011-00-6	50 - <75	C; R34	Skin Corr. 1B, H314	[1] [2]
Alkylamineoxides	EC: 263-179-6 CAS: 61791-46-6	5 - <7	Xn; R22 Xi; R36/38 N; R50	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400	[1]
Diethylene glycol (Diglycol CAS 111-46-6)	REACH #: 01-2119457857-21 EC: 203-872-2 CAS: 111-46-6 Index: 603-140-00-6	3 - <7	Xn; R22 R67	Acute Tox. 4, H302 STOT SE 3, H336	[1] [2]
Arylsulfonates	REACH #: 01-2119513350-56 EC: 215-090-9 CAS: 1300-72-7	1 - <5	Xi; R36	Eye Irrit. 2, H319	[1]
Alkylamineoxides	EC: 273-281-2 CAS: 68955-55-5	<1	Xi; R41, R38 N; R50	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15
minutes. Chemical burns must be treated promptly by a physician. Get medical attention immediately. Call a poison center or physician.
: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. Call a poison center or physician.
: Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. Wash contaminated clothing before reusing. Clean shoes thoroughly before reuse. Get medical attention immediately. Call a poison center or physician.
: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately. Call a poison center or physician.
: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Folential acule health	
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes severe burns.
Ingestion	: Corrosive to the digestive tract. Causes burns. May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

SECTION 4: First	aid measures
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any imn	nediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical, or CO ₂ .
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising fr	om	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Try to avoid touching or walking through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
--------------------------------	--

SECTION 6: Accidental release measures

For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	or containment and cleaning up
Small spill:	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis.
Advice on general occupational hygiene	: Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Do not mix with bleach or other chlorinated products - will cause chlorine gas.
7.3 Specific end use(s) Recommendations Industrial sector specific solutions	 Not applicable until Exposure Scenarios for substances become available. Not applicable until Exposure Scenarios for substances become available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Phosphoric acid	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 2 mg/m ³ 15 minutes. TWA: 1 mg/m ³ 8 hours.
Diethylene glycol (Diglycol CAS 111-46-6)	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 101 mg/m ³ 8 hours. TWA: 23 ppm 8 hours.

Derived effect levels

No DNELs available for the mixture.

Predicted effect concentrations

No PNECs available for the mixture.

8.2 Exposure controls

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measu	res
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection (EN 166)	: Highly recommended : Goggles, face shield, or other full-face protection.
Skin protection	
Hand protection (EN 374)	: Highly recommended : Gloves - butyl rubber , nitrile rubber (Breakthrough time: 1 - 4 hours) .
Body protection (EN 14605)	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection (EN 143, 14387)	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Thermal hazards	: Not applicable.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **Appearance Physical state** : Liquid. Colour : Blue. [Dark] Odour : Fragrance-like **Odour threshold** : Not applicable and/or not determined for the mixture. pН : 0.1 to 0.5 [Conc. (% w/w): 100%] : Not applicable and/or not determined for the mixture. Melting point/freezing point : Not applicable and/or not determined for the mixture. Initial boiling point and boiling range Flash point : > 100°C **Evaporation rate** : Not applicable and/or not determined for the mixture. Flammability (solid, gas) : Not applicable and/or not determined for the mixture. **Burning time** : Not applicable and/or not determined for the mixture. **Burning rate** : Not applicable and/or not determined for the mixture. Upper/lower flammability or : Not applicable and/or not determined for the mixture. explosive limits Vapour pressure : Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture. Vapour density **Relative density** : 1.4 to 1.5 Solubility(ies) : Easily soluble in the following materials: cold water and hot water. **Partition coefficient:** n-octanol/ : Not applicable and/or not determined for the mixture. water Auto-ignition temperature : Not applicable and/or not determined for the mixture. **Decomposition temperature** : Not applicable and/or not determined for the mixture. Viscosity : Not applicable and/or not determined for the mixture. **Explosive properties** : Not applicable. **Oxidising properties** : None.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Do not mix with bleach or other chlorinated products - will cause chlorine gas.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Extremely reactive or incompatible with the following materials: metals and alkalis.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Phosphoric acid	LC50 Inhalation Dusts and	Rat	0.962 mg/l	4 hours
	mists			
	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>2000 mg/kg	-
Alkylamineoxides	LD50 Oral	Rat	1041 mg/kg	-
Diethylene glycol (Diglycol	LC50 Inhalation Dusts and	Rat	>4.6 mg/l	4 hours
CAS 111-46-6)	mists		-	
	LD50 Dermal	Rabbit	13300 mg/kg	-
	LD50 Oral	Rat	1120 mg/kg	-
Arylsulfonates	LC50 Inhalation Dusts and	Rat	>6.2 mg/l	4 hours
-	mists		Ū,	
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>7000 mg/kg	-

Conclusion/Summary

: No known significant effects or critical hazards.

Acute toxicity estimates

Not determined for the mixture.

Irritation/Corrosion	
Conclusion/Summary	: No known significant effects or critical hazards.
<u>Sensitiser</u>	
Conclusion/Summary	: No known significant effects or critical hazards.
<u>Mutagenicity</u>	
Conclusion/Summary	: No known significant effects or critical hazards.
Carcinogenicity	
Conclusion/Summary	: No known significant effects or critical hazards.
Reproductive toxicity	
Conclusion/Summary	: No known significant effects or critical hazards.
Teratogenicity	
Conclusion/Summary	: No known significant effects or critical hazards.
Specific target organ toxici	t <u>y (single exposure)</u>

Product/ingredient name	Category	Route of exposure	Target organs
Diethylene glycol (Diglycol CAS 111-46-6)	Category 3	Not applicable.	Narcotic effects

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure	:	No known significant effects or critical hazards.	
Potential acute health effe	<u>cts</u>		
Inhalation	:	May give off gas, vapour or dust that is very irritating or corrosive to the respirat system.	tory
Ingestion	:	Corrosive to the digestive tract. Causes burns. May cause burns to mouth, threand stomach.	oat
Skin contact	:	Causes severe burns.	
Date of issue/Date of revisi	on	: 8 November 2013	8/13

SECTION 11: Toxicological i	information
------------------------------------	-------------

	logical information
Eye contact	: Causes serious eye damage.
Symptoms related to the ph	nysical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: Adverse symptoms may include the following: stomach pains
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Eye contact	: Adverse symptoms may include the following: pain watering redness
Delayed and immediate effe	ects and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects Potential chronic health eff	: No known significant effects or critical hazards.
Conclusion/Summary	: No known significant effects or critical hazards.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Other information	: No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

		•
Acute LC50 75.1 mg/l	Fish	96 hours
Acute LC50 1 mg/l	Fish	96 hours
Acute LC50 75200 mg/l	Fish	96 hours
Acute EC50 230 mg/l	Aquatic plants	96 hours
Acute EC50 0.1 to 1 mg/l	Daphnia	48 hours
	Acute LC50 1 mg/l Acute LC50 75200 mg/l Acute EC50 230 mg/l	Acute LC50 1 mg/lFishAcute LC50 75200 mg/lFishAcute EC50 230 mg/lAquatic plants

Conclusion/Summary

: No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

: The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

SECTION 12: Ecological information

 Product/ingredient name	LogPow	BCF	Potential
Diethylene glycol (Diglycol CAS 111-46-6)	-1.47	-	low

12.4 Mobility in soil Soil/water partition coefficient (K _{oc})	:	Not determined for the mixture.
Mobility	:	Not determined for the mixture.
12.5 Results of PBT and vP PBT		
		Not applicable.
vPvB	:	Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Hazardous waste	: Yes.

European waste catalogue (EWC)

Waste code	Waste designation	
20 01 14*	acids	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled.	
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

SECTION	14: Transport	t information
---------	---------------	---------------

SECTION 14: Transport information				
	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	UN1805	UN1805	UN1805	UN1805
14.2 UN proper shipping name	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID SOLUTION	Phosphoric acid, solution
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	111	111	111	111
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk: Not applicable.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Ingredient declaration according to detergent regulation 648/2004/EC:

≥5 - <15% non-ionic surfactants <5% anionic surfactants

Contains Perfumes: (Hexyl Cinnamal, Limonene, Butylphenyl Methylpropional, Coumarin)

National regulations

United Kingdom (UK)

The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

SECTION 15: Regulatory information

15.2 Chemical Safety	:	This product contains substances for which Chemical Safety Assessments are still
Assessment		required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and	: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway		
acronyms	ADR = The European Agreement concerning the International Carriage of		
	Dangerous Goods by Road		
	ATE = Acute Toxicity Estimate		
	BCF = Bioconcentration Factor		
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]		
DNEL = Derived No Effect Level DPD = Dangerous Preparations Directive [1999/45/EC]			
		EC = European Commission EUH statement = CLP-specific Hazard statement	
	IATA = International Air Transport Association		
	IBC = Intermediate Bulk Container		
	IMDG = International Maritime Dangerous Goods		
	LogPow = logarithm of the octanol/water partition coefficient		
MARPOL 73/78 = International Convention for the Prevention of Pollution F			
	Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)		
	OEL = Occupational Exposure Limit		
	PBT = Persistent, Bioaccumulative and Toxic		
	PNEC = Predicted No Effect Concentration		
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals		
	Regulation [Regulation (EC) No. 1907/2006]		
	RID = The Regulations concerning the International Carriage of Dangerous Goods		
	by Rail		
	REACH # = REACH Registration Number		
	vPvB = Very Persistent and Very Bioaccumulative		
Broodure used to der	ive the eleccification according to Regulation (EC) No. 4272/2008 [C] D/GUS]		

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Skin Corr. 1, H314		On basis of test data
Full text of abbreviated H statements	: H302 H314 H315 H318 H319 H336 H400	Harmful if swallowed. Causes severe skin burns and eye damage. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life.
Full text of classifications [CLP/GHS]	: Acute Tox. 4, H302 Aquatic Acute 1, H400 Eye Dam. 1, H318 Eye Irrit. 2, H319 Skin Corr. 1, H314 Skin Corr. 1B, H314 Skin Irrit. 2, H315 STOT SE 3, H336	ACUTE TOXICITY: ORAL - Category 4 AQUATIC TOXICITY (ACUTE) - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1B SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Narcotic effects] - Category 3

SECTION 16: Other information

Full text of abbreviated R phrases	 R22- Harmful if swallowed. R34- Causes burns. R35- Causes severe burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to skin. R36/38- Irritating to eyes and skin. R67- Vapours may cause drowsiness and dizziness. R50- Very toxic to aquatic organisms.
Full text of classifications [DSD/DPD]	: C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the environment
Date of printing	: 8 November 2013
Date of issue/ Date of revision	: 8 November 2013
Date of previous issue	: 25 October 2011
Version	: 2
Nation to reader	

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.