

Safety Data Sheet according to Regulation (EC) No. 453/2010

Date of issue: 24/06/2014 Revision date:

Version: 1.0

:

Date	e or issue: 24/06/2014 Revision date: : Version: 1.0
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: PROD ARIEL HYGIENE SSP PGP DIAMOND MATARO
Product code	: PA00184989
Product group	: Trade product
- ·	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Function or use category	: Washing and cleaning products (including solvent based products)
Tunction of use category	
1.2.2.Uses advised againstNo additional information available	
1.3. Details of the supplier of the sa	fety data sheet
Procter & Gamble UK Brooklands, Weybridg	
Tel: 01932 896000 Fax: 01932 896200	
Retail : sds.im@pg.com Professional : info.uk@pg.com	
1.4. Emergency telephone number	
Emergency number	: (UK) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497
SECTION 2: Hazards identification	on
2.1. Classification of the substance	or mixture
Classification according to Regulation (E	EC) No. 1272/2008 [CLP]
Eye Irrit. 2 H319	
Full text of H-phrases: see section 16	
Classification according to Directive 67/5	548/EEC or 1999/45/EC
Xi; R36 Full text of R-phrases: see section 16	
Adverse physicochemical, human health No additional information available	and environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) N Hazard pictograms (CLP)	IO. 1272/2008 [CLP]
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H319 - Causes serious eye irritation
Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell P101 - If medical advice is needed, have product container or label at hand P501 - Dispose of contents/container to an appropriate local waste system</li> </ul>
2.3. Other hazards	
Other hazards not contributing to the classification	: No presence of PBT and vPvB ingredients.
SECTION 3: Composition/inform	ation on ingredients
3.1. Substance	
Not applicable	
24/06/2014	EN (English) 1/10

Safety Data Sheet according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Sulfate	(CAS No) 7757-82-6 (EC no) 231-820-9 (REACH-no) 01-2119519226-43	20 - 30	Not classified	Not classified
Sodium Carbonate Peroxide	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	10 - 20	O; R8 Xn; R22 Xi; R41	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium Carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	10 - 20	Xi; R36	Eye Irrit. 2, H319
Sodium Dodecylbenzenesulfonate	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	10 - 20	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Silicate	(CAS No) 1344-09-8 (EC no) 215-687-4 (REACH-no) 01-2119448725-31	5 - 10	C; R34	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Citric Acid	(CAS No) 77-92-9 (EC no) 201-069-1 (REACH-no) 01-2119457026-42	1 - 5	Xi; R36	Eye Irrit. 2, H319
Sodium bicarbonate	(CAS No) 144-55-8 (EC no) 205-633-8 (REACH-no) 01-2119457606-32	1 - 5	Not classified	Not classified
C14-15 Pareth-n	(CAS No) 68951-67-7 (EC no) Polymer	1 - 5	Xn; R22 Xi; R41 N; R50	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	9S
First-aid measures after inhalation	: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get immediate medica advice/attention. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries after inhalation	: sneezing. Coughing.
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact	: Pain. Redness. Swelling. Blurred vision.
Symptoms/injuries after ingestion	: Nausea. Vomiting. Diarrhoea. Oral mucosal or gastro-intestinal irritation. Excessive secretion.
4.3. Indication of any immediate me	dical attention and special treatment needed

Refer to section 4.1.

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2.	Special hazards arising from the s	ostance or mixture
Fire haz	zard	: No fire hazard. Non combustible.
Explosion hazard		: Product is not explosive.
Reactiv	ity	: No dangerous reactions known.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: No specific firefighting instructions required.
Protecti	on during firefighting	: In case of inadequate ventilation wear respiratory protection.

Safety Data Sheet according to Regulation (EC) No. 453/2010

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable gloves and eye/face protection.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable gloves and eye/face protection.	
6.2. Environmental precautions	· · ·	
	in after use. Prevent soil and water pollution. Prevent spreading in sewers.	
6.3. Methods and material for conta	inment and cleaning up	
For containment	: Scoop solid spill into closing containers.	
Methods for cleaning up	: Small quantities of solid spill: wash down with water. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation.	
Other information	: Avoid contact with skin, eyes and clothing.	
6.4. Reference to other sections		
Refer to Sections 8 and 13.		
<b>SECTION 7: Handling and storag</b>	e	
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid contact with eyes. Use personal protective equipment as required. Avoid raising dust. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.	
7.2. Conditions for safe storage, inc	luding any incompatibilities	
Storage conditions	: Store in original container. Refer to section 10.	
Incompatible products	: Refer to section 10.	
Incompatible materials	: Not applicable.	
Prohibitions on mixed storage	: Not applicable.	
Storage area	: Store in a cool area. Store in a dry area. Store away from heat.	
7.3. Specific end use(s)		
Cleaning/washing agents and additives.		

Cleaning/washing agents and additives.

### **SECTION 8: Exposure controls/personal protection** 8.1. **Control parameters**

Sodium Sulfate (7757-82-6)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	20 mg/m <sup>3</sup>	
Long-term - local effects, inhalation	20 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	12 mg/m <sup>3</sup>	
Long-term - local effects, inhalation	12 mg/m <sup>3</sup>	
PNEC (Water)		
PNEC aqua (freshwater)	11.09 mg/l	
PNEC aqua (marine water)	1.109 mg/l	
PNEC aqua (intermittent, freshwater)	17.66 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	40.2 mg/kg dwt	
PNEC sediment (marine water)	4.02 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.54 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	800 mg/l	
Sodium Silicate (1344-09-8)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.59 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	5.61 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		

Safety Data Sheet according to Regulation (EC) No. 453/2010

cording to Regulation (EC) No. 453/2010	
Sodium Silicate (1344-09-8)	
Long-term - systemic effects,oral	0.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.38 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	7.5 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	7.5 mg/l
	7.5 mgn
PNEC (STP)	040
PNEC sewage treatment plant	348 mg/l
Sodium Dodecylbenzenesulfonate (68411-3	30-3)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m <sup>3</sup>
Long-term - local effects, inhalation	12 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
Long-term - local effects, inhalation	3 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	0.268 mg/l
PNEC aqua (marine water)	0.0268 mg/l
PNEC aqua (intermittent, freshwater)	0.0167 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	8.1 mg/kg dwt
PNEC sediment (marine water)	8.1 mg/kg dwt
PNEC (Soil)	or highly diff
PNEC soil	35 mg/kg dwt
PNEC (STP)	
	2.42 mg/l
PNEC sewage treatment plant	3.43 mg/l
Sodium Carbonate (497-19-8)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m <sup>3</sup>
DNEL/DMEL (General population)	10 mg/m
Acute - local effects, inhalation	10 ma/m3
Acute - local effects, initialation	10 mg/m <sup>3</sup>
Sodium Carbonate Peroxide (15630-89-4)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	12.8 mg/cm <sup>2</sup>
Long-term - local effects, inhalation	5 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - local effects, dermal	6.4 mg/cm <sup>2</sup>
	6.4 mg/cm <sup>2</sup>
PNEC (Water)	
PNEC aqua (freshwater)	0.035 mg/l
PNEC (STP)	
PNEC sewage treatment plant	16.24 mg/l
Citric Acid (77.02.0)	
Citric Acid (77-92-9)	
PNEC (Water)	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	33.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	34.6 mg/l

Safety Data Sheet according to Regulation (EC) No. 453/2010

-		
8.2.	Exposure controls	
	riate engineering controls al protective equipment	<ul> <li>Not applicable.</li> <li>Protective personal equipment only required in case of professional use or for large packs (not for household packs). For consumer use please follow recommendation as indicated on the label of the product.</li> </ul>

Hand protection	: Not applicable.
Eve protection	· Mear eve/face prot

- Eye protection : Wear eye/face protection. Skin and body protection
  - : Not applicable.
- Respiratory protection : Not applicable.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Appearance	: Solid.		
Colour	: White with coloured speckles.		
Odour	: pleasant (perfume).		
Odour threshold	: No data available		
рН	: 9.9		
pH solution	: 1%		
Relative evaporation rate (butylacetate=1)	: Not applicable		
Melting point	: Not available		
Freezing point	: Not applicable		
Boiling point	: Not applicable		
Flash point	: Not applicable		
Auto-ignition temperature	: Not available		
Decomposition temperature	: Not available		
Flammability (solid, gas)	: Not flammable		
Vapour pressure	: Not applicable		
Relative vapour density at 20 °C	: Not applicable		
Relative density	: No data available		
Density	: 636 g/l		
Solubility	: Soluble in water.		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity	: Not applicable		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivi	ty		
10.1. Reactivity			

10.1.	Reactivity
No dange	erous reactions known.
10.2.	Chemical stability
Stable ur	der normal conditions.
10.3.	Possibility of hazardous reactions
Refer to s	section 10.1 on Reactivity.
10.4.	Conditions to avoid
Not requi	red for normal conditions of use.
10.5.	Incompatible materials
Not appli	cable.
10.6.	Hazardous decomposition products
None und	ler normal use.

Safety Data Sheet according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 433/2010			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
PROD ARIEL HYGIENE SSP PGP DIAMOND MATARO			
LD50 oral calculated	> 2000 mg/kg		
ATE CLP (oral)	500 mg/kg bodyweight		
Sodium Sulfate (7757-82-6)			
LD50 oral calculated	2001 mg/kg OECD 402		
LC50 inhalation rat (mg/l)	5.01 mg/l/4h OECD 436		
ATE CLP (oral)	2001 mg/kg bodyweight		
ATE CLP (vapours)	5.010 mg/l/4h		
ATE CLP (dust,mist)	5.010 mg/l/4h		
Sodium Silicate (1344-09-8)			
LD50 oral calculated	3400 mg/kg OECD 401		
LD50 dermal rat	5000 mg/kg		
LC50 inhalation rat (mg/l)	5.01 mg/l		
ATE CLP (oral)	3400 mg/kg bodyweight		
ATE CLP (dermal)	5000 mg/kg bodyweight		
ATE CLP (dust,mist)	5.010 mg/l/4h		
· · · ·			
Sodium Dodecylbenzenesulfonate (68411-30			
LD50 oral calculated	1080 mg/kg OECD 401		
LD50 dermal rat	2001 mg/kg OECD 402		
ATE CLP (oral)	1080 mg/kg bodyweight		
ATE CLP (dermal)	2001 mg/kg bodyweight		
Sodium Carbonate (497-19-8)			
LD50 oral calculated	2800 mg/kg		
LD50 dermal rabbit	2001 mg/kg		
ATE CLP (oral)	2800 mg/kg bodyweight		
ATE CLP (dermal)	2001 mg/kg bodyweight		
· · · · ·			
Sodium bicarbonate (144-55-8)			
LD50 oral calculated	4000 mg/kg bodyweight		
LC50 inhalation rat (mg/l)	5.01 mg/l		
ATE CLP (oral)	4000 mg/kg bodyweight		
ATE CLP (vapours)	5.010 mg/l/4h		
ATE CLP (dust,mist)	5.010 mg/l/4h		
C14-15 Pareth-n (68951-67-7)			
LD50 oral calculated	500 mg/kg		
LD50 dermal rat	2001 mg/kg		
ATE CLP (oral)	500 mg/kg bodyweight		
ATE CLP (dermal)	2001 mg/kg bodyweight		
Sodium Carbonate Peroxide (15630-89-4)	893 mg/kg		
LD50 oral calculated			
ATE CLP (oral)	2001 mg/kg 893 mg/kg bodyweight		
ATE CLP (dermal)	2001 mg/kg bodyweight		
Citric Acid (77-92-9)			
LD50 oral calculated	5.4 g/kg OECD 401		
LD50 dermal rat	2001 mg/kg OECD 402		
ATE CLP (oral)	5400 mg/kg bodyweight		
ATE CLP (dermal)	2001 mg/kg bodyweight		
Skin corrosion/irritation	: Not classified		
	pH: 9.9		
Serious eye damage/irritation	: Causes serious eye irritation.		
	pH: 9.9		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		

EN (English)

: Not classified

Carcinogenicity

Safety Data Sheet according to Regulation (EC) No. 453/2010

carcinogenicity	. Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated	: Not classified : Not classified
exposure)	
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Irritation: severly irritant to eyes. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Sodium Sulfate (7757-82-6)	
LC50 fishes 1	7960 mg/l Pimephales promelas
EC50 Daphnia 1	1766 mg/l Daphnia magna
ErC50 (algae)	1900 mg/l Nitzschia linearis
NOEC chronic crustacea	8 g/l
Sodium Silicate (1344-09-8)	
LC50 fishes 1	1108 mg/l OECD 203, Brachydanio rerio,
EC50 Daphnia 1	1700 mg/l Daphnia magna
EC50 other aquatic organisms 1	> 348 mg/l Pseudomonas putida
ErC50 (algae)	207 mg/l Scenedesmus subspicatus
Sodium Dodecylbenzenesulfonate (68411-3	0-3)
LC50 fishes 1	1.67 mg/l Lepomis macrochirus
EC50 Daphnia 1	2.9 mg/I OECD 202; Daphnia magna
ErC50 (algae)	127.9 mg/l Desmodesmus subspicatus
NOEC chronic fish	0.23 mg/l Oncorhynchus mykiss
NOEC chronic crustacea	1.18 Daphnia magna
NOEC chronic algae	2.4 mg/l Desmodesmus subspicatus
Sodium Carbonate (497-19-8)	·
LC50 fishes 1	300 mg/l
EC50 Daphnia 1	200 mg/l
Sodium bicarbonate (144-55-8) LC50 fishes 1	7100 mg/l Lepomis macrochirus
EC50 Daphnia 1	4100 mg/l Daphnia magna
NOEC chronic crustacea	576 mg/l
NOEC chronic algae	45 mg/l Daphnia magna
C14-15 Pareth-n (68951-67-7)	
LC50 fishes 1	1 mg/l
EC50 Daphnia 1	1 mg/l
ErC50 (algae)	1 mg/l
Sodium Carbonate Peroxide (15630-89-4)	······
LC50 fishes 1	70.7 mg/l
EC50 Daphnia 1	4.9 mg/l
NOEC chronic crustacea	2 mg/l
Citric Acid (77-02-0)	
Citric Acid (77-92-9)	440 ml/LOECD 203 Leuciscus idus malanotus
LC50 fishes 1	440 ml/l OECD 203, Leuciscus idus melanotus
	<ul> <li>440 ml/l OECD 203, Leuciscus idus melanotus</li> <li>485 mg/l Entosiphon sulcatum</li> <li>1535 mg/l Daphnia magna</li> </ul>

Safety Data Sheet according to Regulation (EC) No. 453/2010

Citric Acid (77-92-9)	
NOEC (chronic)	> 10000 mg/l Pseudomonas putida
NOEC chronic algae	425 mg/l Scenedesmus quadricauda

#### Persistence and degradability 12.2.

Sodium Dodecylbenzenesulfonate (68411-30-3)		
ThOD	85 g O <sup>2</sup> /g substance OECD 301 B	
C14-15 Pareth-n (68951-67-7)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Citric Acid (77-92-9)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Biodegradation	97 % OECD 301 B	

#### 12.3. **Bioaccumulative potential**

Sodium Sulfate (7757-82-6)			
Bioconcentration factor (BCF REACH)	0.5		
Log Pow	-4.38		
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).		
Sodium Silicate (1344-09-8)			
Bioaccumulative potential	Not measured.		
Sodium Dodecylbenzenesulfonate (68411-3	Sodium Dodecylbenzenesulfonate (68411-30-3)		
BCF fish 1	2 - 1000 l/kg		
Bioconcentration factor (BCF REACH)	1000		
Log Pow	3.32		
Sodium bicarbonate (144-55-8)			
Bioaccumulative potential	No ecological damage caused by this product.		
Citric Acid (77-92-9)			
Bioconcentration factor (BCF REACH)	3.2		
Log Pow	-1.8		

#### 12.4. Mobility in soil

Sodium Dodecylbenzenesulfonate (68411-30-3)		
Log Koc	3.5	
12.5. Results of PBT and vPvB assessment		
PROD ARIEL HYGIENE SSP PGP DIAMOND MATARO		

PROD ARIEL HIGIENE SSP PGP DIAMOND MATARO		
Results of PBT assessment	No presence of PBT and vPvB ingredients	
Component		
Tetrasodium Etidronate (3794-83-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Brightener 15 (16090-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Silicate (1344-09-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Dodecylbenzenesulfonate (68411-30- 3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Dodecylbenzene Sulfonic Acid (85536-14-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium bicarbonate (144-55-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Zeolite (1318-02-1)	PBT: not relevant – no registration required vPvB: not relevant – no registration required	
Sodium Carbonate Peroxide (15630-89-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Metaborate (7775-19-1)	PBT: not relevant – no registration required vPvB: not relevant – no registration required	
Sulfuric Acid (7664-93-9)	PBT: not relevant – no registration required vPvB: not relevant – no registration required	
Citric Acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
24/06/2014		0/10

Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 12.6. Other adverse effects

Other information	: No other effects known.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	<ul> <li>The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration.</li> <li>Empty, uncleaned packaging need the same disposal considerations as filled packaging.</li> </ul>
EURAL code	<ul> <li>20 01 29* - detergents containing dangerous substances</li> <li>15 01 10* - packaging containing residues of or contaminated by dangerous substances</li> </ul>

SECTION 14: Transport information
14.1. UN number
Not applicable
14.2. UN proper shipping name
Not applicable
14.3. Transport hazard class(es)
Not applicable
14.4. Packing group
Not applicable
14.5. Environmental hazards
Not applicable
14.6. Special precautions for user
Not applicable
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable
SECTION 15: Regulatory information

Inc	redient	lahel
IIIQ	reulerit	abei

: 15-30% Oxygen-based bleaching agents; 5-15% Anionic surfactants; <5% Non-ionic surfactants, Phosphonates, Polycarboxylates, Zeolites; Enzymes, Optical brighteners, Perfumes, Butylphenyl methylpropional, Disinfectants.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions
Contains no REACH candidate substance
CESIO recommendations

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 15.1.2. National regulations

No additional information available

Chemical safety assessment

No chemical safety assessment has be	een carried out
<b>SECTION 16: Other informati</b>	on
Data sources	: Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]. Expert judgement and weight of evidence determination.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Salts listed in Section 3 without a REAG	Ch Registration number are exempt, based on Annex V

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

15.2.

Safety Data Sheet according to Regulation (EC) No. 453/2010

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R34	Causes burns
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50	Very toxic to aquatic organisms
R8	Contact with combustible material may cause fire
С	Corrosive
N	Dangerous for the environment
0	Oxidising
Xi	Irritant
Xn	Harmful

### SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product