

SAFETY DATA SHEET

DISHWASH DETERGENT SUPER CONCENTRATE

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the second seco	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	DISHWASH DETERGENT SUPER CONCENTRATE
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Caustic Detergent. For professional use only.
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption. Not for use by hand.
1.3. Details of the supplier of t	he safety data sheet
Supplier	PRIME SOURCE. PO BOX 15247 BIRMINGHAM B22 3HN info@prime-source.co.uk
1.4. Emergency telephone nur	nber
Emergency telephone	24 Hour Medical Emergency Telephone Number (+44) 0870 190 6777 This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number)
SECTION 2: Hazards identific	ation
2.1. Classification of the substance or mixture	
Classification (EC 1272/2008)	
Physical hazards	Met. Corr. 1 - H290
Health hazards	Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal wordDangerHazard statementsH314 Causes severe skin burns and eye damage.
H290 May be corrosive to metals.

Precautionary statements	 P234 Keep only in original packaging. P280 Wear protective clothing, gloves, eye and face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention.
Contains	SODIUM HYDROXIDE
Detergent labelling	< 5% amphoteric surfactants, < 5% polycarboxylates
Supplementary precautionary statements	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Note:- H290 May be Corrosive to Metals Classification relates to Soft Metals such as Aluminium and Copper, when used correctly this product is not expected to be corrosive to 304 and 316 Stainless Steel.

3.2. Mixtures		
SODIUM HYDROXIDE		5 - 10%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-
		2119457892-27
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Met. Corr. 1 - H290	C;R35	
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid	d measures
General information	For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.
Inhalation	Remove affected person from source of contamination. Provide rest, warmth and fresh air. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly. Place unconscious person on their side in the recovery position and ensure breathing can take place. Get medical attention.
Skin contact	Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	Neat product may cause chemical burns and permanent eye damage. Dilute product may cause irritation to the skin and eyes.	
Inhalation	Inhalation of neat product is unlikely. However, inhalation of mists or vapours of diluted product may result in soreness, irritation or burns to the mouth, nose and respiratory tract.	
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, chemical burning of mouth, throat and GI tract will occur. If dilute chemical is ingested, soreness of mouth, throat and GI tract may occur together with redness and blistering.	
Skin contact	May cause serious chemical burns to the skin.	
Eye contact	May result in permanent eye damage.	
4.3. Indication of any immediat	e medical attention and special treatment needed	
Notes for the doctor	Contains Polyacrylate in a Sodium Hydroxide solution.	
SECTION 5: Firefighting measurements	ures	
5.1. Extinguishing media		
Suitable extinguishing media	This product will not support combustion and is not flammable. Use an extinguishing media suitable for surrounding materials.	
5.2. Special hazards arising fro	m the substance or mixture	
Specific hazards	In contact with some metals (Aluminium, Zinc and their Alloys) Hydrogen Gas is formed, which may form an explosive mixture with air. Note - Comment refers to neat product. This product is non combustible, on heating corrosive vapours may be formed.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, prot	ective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precautions		
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.	
6.4. Reference to other section	<u>s</u>	
Reference to other sections	See sections 8,12 & 13	
SECTION 7: Handling and stor	age	

7.1. Precautions for safe handling

Usage precautions

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Refer to section 8.

	rage, molading any meempalismee
Storage precautions	Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Store between 0 and 40 Degrees C. Store away from the following materials: Acids.
7.3. Specific end use(s)	
Specific end use(s)	Detergent, refer to Product Information Sheet for full details.
Usage description	This product is suitable for use in food preparation areas, but is not designed for direct food contact.

7.2. Conditions for safe storage, including any incompatibilities

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit

Ingredient comments

As a requirement of REACH we have considered all of the components of this formulation. We believe that Sodium Hydroxide (NaOH) is the most hazardous component of this formulation. Sodium Hydroxide is not expected to be systemically available to the body under normal handling and use conditions, therefore systemic effects of Sodium Hydroxide after Dermal or Inhalation Exposure are not expected to occur. Based on data from our raw material suppliers, we understand that if the risk management measures outlined in section 8.2 are followed , the inhalation exposure is below the DNEL of 1mg/m3. Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m ³ DNEL data for Professional users is not yet available, but it is assumed to be the same as for Industrial users. Industry - Dermal; Short term local effects: 2%
PNEC	No information is available for PNEC data for Sodium Hydroxide

ALKYL IMINO ACID

DNEL	Professional - Inhalation; Long term systemic effects: 980 mg/m³ Professional - Dermal; Long term systemic effects: 2.67 mg/kg bw/day
PNEC	- Fresh water; 0.1 mg/l - marine water; 0.01 mg/l - Intermittent release; 0.1 mg/l - STP; 0.3 mg/l
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.
Personal protection	The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.
Eye/face protection	This product is not expected to come into contact with eyes during normal usage. If a risk assessment indicates eye contact is reasonable likely eye protection should be considered Refer to EN Standard 166 to select appropriate level of protection.
Hand protection	Impervious Chemical Resistant Gloves of Butyl Rubber, PVC, Polychloroprene with a natural latex liner, all with a minimum material thickness 0.5mm and a breakthrough time of >480mins. Alternatively Nitrile Rubber, Fluorinated Rubber, both with a minimum thickness of 0.35 - 0.4mm and a breakthrough time of >480minutes. Refer to Standard EN 374 and EN 16523
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.
Hygiene measures	Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Contaminated clothing and shoes must be discarded. Provide eyewash station and safety shower.
Respiratory protection	No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit. In the case of dust or aerosol formation (eg spraying), or vapour from hot vessels, use respiratory protection with an approved filter (P2).
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13. Discharge of solutions into effluent systems (including municipal drains) or to surface water are expected to cause significant pH changes. Discharge of solutions should be carried out such that pH changes are minimised. Where necessary pH buffering measures should be adopted. Users of this product should consult local drainage and permitting authorities to ensure that any restrictions or discharge consents are adhered to.

General Health and Safety Measures.

The classification given for this product is for the neat material. Use solutions will be less hazardous, but because pH is expected to be >11.5 they should still be considered as capable of causing severe skin burns and eye damage. Use of Eye Protection and Gloves is recommended as min PPE.A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Amber to Pale Yellow	
Odour	No characteristic odour.	
Odour threshold	Not applicable.	
рН	pH (diluted solution): 11.5 - 12.5 @ 1%v/v	
Melting point	Less than 0 Degrees C	
Initial boiling point and range	95 - 110 degrees C	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Evaporation factor	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	1.11 - 1.18 @ 20 Degrees C	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not applicable.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	Not determined.	
Explosive properties	Not applicable.	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	Not applicable.	
Particle size	Not applicable.	
Molecular weight	Not applicable.	

Volatility	Not applicable.	
Saturation concentration	Not applicable.	
Critical temperature	Not applicable.	
Volatile organic compound	Not applicable.	
Explosive Properties	Not Classified as Explosive	
Storage Temperature Range	0 to +40 Degree C	
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions. The solution is strongly alkaline and reacts with strong acids with heat generation.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended See note 10.6. Avoid the following conditions: Avoid contact with acids.	
10.3. Possibility of hazardous r	reactions	
Possibility of hazardous reactions	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Reaction with Aluminium, Zinc, Tin, Copper or their alloys produces flammable Hydrogen Gas. Note:- Comment refers to neat product.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	No specific hazardous decomposition products noted See section 10.5.	
SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicologic	cal effects	
Respiratory sensitisation Respiratory sensitisation	No evidence of respiratory sensitisation for any component of this formulation.	
Skin sensitisation Skin sensitisation	No evidence of skin sensitisation for any component of this formulation.	
Carcinogenicity Carcinogenicity	The components of this formulation are corrosive to skin and the respiratory tract, but will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.	
Reproductive toxicity Reproductive toxicity - fertility	The components of this formulation are corrosive to the skin and respiratory tract, but will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or the developing foetus.	

General information	Toxic effect linked with corrosive properties. See section 4.2.		
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose See section 4.2.		
Ingestion	Causes severe burns. May cause chemical burns in mouth, oesophagus and stomach.		
Skin contact	Causes severe burns.		
Eye contact	Risk of serious damage to eyes. May cause permanent eye injury.		
SECTION 12: Ecological inform	nation		
Ecotoxicity	This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
12.1. Toxicity			
Acute aquatic toxicity			
Acute toxicity - fish	This mixture is not classified as toxic to aquatic organisms. See note 12.0.		
12.2. Persistence and degradability			
Persistence and degradability	The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.		
12.3. Bioaccumulative potential			
Bioaccumulative potential	Not expected to bioaccumulate.		
Partition coefficient	Not applicable.		
12.4. Mobility in soil			
Mobility	The product contains substances which are water-soluble and may spread in water systems.		
12.5. Results of PBT and vPvB	12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	Not determined.		
SECTION 13: Disposal conside	erations		
13.1. Waste treatment methods	8		
General information	When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.		
SECTION 14: Transport inform	ation		
14.1. UN number			
UN No. (ADR/RID)	1824		
UN No. (IMDG)	1824		
UN No. (ICAO)	1824		
UN No. (ADN)	1824		

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION	
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es)		
ADR/RID class	8	
ADR/RID classification code	C5	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2R
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU legislation
 European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of

 Substances and Mixtures.
 This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous

 Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and

 Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC)

 No.1907/2006.

15.2. Chemical safety assessment

Pcs Information

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 (EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. COSHH - Control of Substances Hazardous to Health. DNEL - Derived No Effect Limit. Industry - Refers in section 8 to application of the substance in an industrial process. NPIS - National Poisons Information Service. PBT - Persistent, Bioaccumulative & Toxic. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). vPvB - Very Persistent, Very bioaccumulative.
General information	Only trained personnel should use this material. This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Review of SDS with no change to classification Addition of overalls in section 8, this applies to manufacturing and packing operations. A COSHH assessment should be conducted to assess appropriate PPE for end users - Refer to section 8.2.
Revision date	19/02/2019
SDS number	25261
Risk phrases in full	R20 Harmful by inhalation. R22 Harmful if swallowed. R35 Causes severe burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes.
Hazard statements in full	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

 REACH extended MSDS
 REACH requires that persons handling chemicals should take the necessary risk

 comments
 management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevent information is incorporated into the safety data sheet.

END OF SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.